# NAB1 Rabbit pAb

Catalog No.: A15692 1 Publications



## **Basic Information**

#### **Observed MW**

54kDa

### **Calculated MW**

54kDa

### Category

Primary antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse

## **Background**

Predicted to enable transcription coregulator activity. Predicted to be involved in regulation of transcription, DNA-templated. Predicted to act upstream of or within endochondral ossification; nervous system development; and regulation of epidermis development. Predicted to be located in nucleoplasm. Predicted to be active in nucleus.

## **Recommended Dilutions**

**WB** 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Swiss Prot Gene ID** 4664 Q13506

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

NAB1

## **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	T	www.abclonal.com.cn


## **Product Information**

**Purification Source** Isotype Rabbit IgG Affinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of various lysates using NAB1 Rabbit pAb (A15692) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.