# [KD Validated] MRPL11 Rabbit pAb

www.abclonal.com

**ABclonal** 

Catalog No.: A24775

## **Basic Information**

#### **Observed MW**

21kDa

### **Calculated MW**

18kDa/19kDa/20kDa

### Category

Primary antibody

### **Applications**

WB,IP,ELISA

### **Cross-Reactivity**

Human

# **Background**

This nuclear gene encodes a 39S subunit component of the mitochondial ribosome. Alternative splicing results in multiple transcript variants. Pseudogenes for this gene are found on chromosomes 5 and 12.

# **Recommended Dilutions**

**WB** 1:500 - 1:1000

IP 0.5μg-4μg antibody for 200μg-400μg extracts of

whole cells

**ELISA** Recommended starting

concentration is 1 µg/mL.

Please optimize the
concentration based on
your specific assay
requirements.

# **Immunogen Information**

**Gene ID**Swiss Prot
65003
Q9Y3B7

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

# **Synonyms**

MRPL11; CGI-113; L11MT; MRP-L11; mitochondrial ribosomal protein L11

### **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	Ī	www.abclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification


### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Immunoprecipitation of MRPL11 in 500  $\mu g$  extracts from HeLa cells using 3  $\mu g$  MRPL11 Rabbit pAb (A24775). Western blot analysis was performed using MRPL11 Rabbit pAb (A24775) at 1:1000 dilution.



Western blot analysis of lysates from wild type (WT) and MRPL11 knockdown (KD) HeLa cells using [KD Validated] MRPL11 Rabbit pAb (A24775) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.Lysates/proteins: 25  $\mu g$  per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.