

Recombinant SARS-CoV-2 Spike S1+S2 ECD(S-ECD) Protein

Catalog No.: RP01260MT **Recombinant** **2 Publications**

Sequence Information

Species **Gene ID** **Swiss Prot**
SARS-CoV-2 43740568

Tags

C-His&Avi

Synonyms

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE; ≥95 % as determined by HPLC.

Calculated MW **Observed MW**
132.9kDa

Endotoxin

< 1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4 or Supplied as a 0.22 μm filtered solution in PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

Basic Information

Description

Recombinant SARS-CoV-2(2019-nCoV) S1+S2 ECD[S-ECD] Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence Val16-Glu1188 of SARS-COV-2(2019-nCoV) S1+S2 ECD[S-ECD] (Accession #QHD43416.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Recombinant SARS-CoV-2 Spike S1+S2 ECD at 2 μg/mL (100 μL/well) can bind Recombinant Human ACE2 with a linear range of 0.15-3.03 ng/mL.

Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

Contact


☎		400-999-6126
✉		cn.market@abclonal.com.cn
🌐		www.abclonal.com.cn

* 本资料仅供参考，不作为任何投资建议。


Validation Data




Recombinant SARS-CoV-2 Spike S1+S2 ECD(S-ECD) Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



The purity of SARS-COV-2 Spike S Trimer is greater than 95% as determined by SEC-HPLC.



Immobilized Recombinant SARS-COV-2 Spike S1+S2 ECD at 2 μ g/mL (100 μ L/well) can bind Recombinant Human ACE2 with a linear range of 0.15-3.03 ng/mL.



Immobilized SARS-COV-2 Spike S Trimer, His Tag at 1 μ g/ml (100 μ L/Well). Dose response curve for Human ACE2, hFc Tag with the EC₅₀ of 42.2ng/ml determined by ELISA.