

Catalog No.: RP01563LQ **Recombinant**

Species	Gene ID	Swiss Prot
Human	6352	P13501

Tags
C-His

CCL5;D17S136E;RANTES;SCYA5;SIS-
delta;SISd;TCP228;eoCP

Source <i>E. coli</i>	Purification ≥ 95 % as determined by SDS-PAGE.
---------------------------------	--

Calculated MW	Observed MW
8.69 kDa	12-15 kDa

< 1 EU/μg of the protein by LAL method.

Supplied as a 0.22 μm filtered solution in 50 mM Tris, 500 mM NaCl, 5% glycerol, pH 7.5.

Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water.

Chemokines form a superfamily of secreted proteins involved in immunoregulatory and inflammatory processes. The superfamily is divided into four subfamilies based on the arrangement of the N-terminal cysteine residues of the mature peptide. This chemokine, a member of the CC subfamily, functions as a chemoattractant for blood monocytes, memory T helper cells and eosinophils. It causes the release of histamine from basophils and activates eosinophils. This cytokine is one of the major HIV-suppressive factors produced by CD8+ cells. It functions as one of the natural ligands for the chemokine receptor chemokine (C-C motif) receptor 5 (CCR5), and it suppresses in vitro replication of the R5 strains of HIV-1, which use CCR5 as a coreceptor. Alternative splicing results in multiple transcript variants that encode different isoforms.

Recombinant Human CCL5/RANTES Protein is produced by *E. coli* expression system. The target protein is expressed with sequence (Ser24-Ser91) of human CCL5/RANTES (Accession #NP_002976.2) fused with a 6xHis tag at the C-terminus

50 ng/mL of Recombinant Human CCL5/RANTES enhances STAT3,P65 autophosphorylation and upregulates the expression of MDA5 in SW620 cells.


Store at -70°C. This product is stable at $\leq -70^{\circ}\text{C}$ for up to 1 year from the date of receipt. For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature. Avoid repeated freeze-thaw cycles.

 | 400-999-6126


✉ | cn.market@abclonal.com.cn

 | www.abclonal.com.cn

Validation Data



Recombinant Human CCL5/RANTES Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



50 ng/mL of Recombinant Human CCL5/RANTES enhances STAT3,P65 autophosphorylation and upregulates the expression of MDA5 in SW620 cells.